Roger Kao, M.D.

Scott Levenson, M.D.

DIGESTIVE CARE ASSOCIATES 1000 LAUREL STREET SAN CARLOS, CA 94070 (650) 596-8800 www.digestivecarecenter.com

COLONOSCOPY

SUTAB BOWEL PREPARATION INSTRUCTIONS

Patient's Name:	
Procedure Location:	Digestive Care Medical Center (650) 596-8800 (scheduling/after hr) 1000A Laurel Street, San Carlos, CA (650) 596-8118 (nursing)
Date and Time of Procedure:	ENTER ON MORSE ST
Arrival Time:	
Purpose of Procedure:	To evaluate the colon with a flexible instrument.

Preparation: Obtain the prescribed SUTAB (24 tablets) Bowel Prep Kit (+/- baby wipes) from a pharmacy.

- 5 Days Before: Stop taking any anti-diarrheals (e.g. Imodium), Plavix, warfarin, ibuprofen, naproxen, iron, aspirin in doses>81mg.
- **3 Days Before**: Avoid whole grain bread, high fiber cereals, fiber supplements, nuts, seeds, granola.
- 2 Days Before: Stop Eliquis, Pradaxa, Savaysa, Xarelto, if allowed by your prescribing doctor.
- 1 Day Before:
- 1. Drink only clear liquids the entire day (Gatorade, clear broth, apple juice, cranberry juice, grape juice, soda, popsicles, tea, black coffee and jello). No red jello. No alcohol. No solid food).
- 2. At 4pm or later, add cool drinking water to the 16-ounce line on the provided container. Take each SUTAB tablet (total 12 tablets) with a sip of water and drink the entire amount over 20 minutes. You must drink at least two more 16-ounce containers of water over the next one hour. You must continue to drink liquids all day prior to procedure. (Note that responses to laxatives vary; it may take anywhere from 30 minutes to 4 hours to cause diarrhea).
- Day of Procedure: (Continue on clear liquid diet)
 - 1. **Starting 5-8 hours before procedure,** fill the container with water to the 16-ounce fill line and then take each SUTAB tablet (total 12 tablets) with a sip of water and drink the entire amount over 20 minutes. Drink two additional containers filled to the 16-ounce line with water over the next hour.
 - 2. Nothing to drink for 2 hours prior to the exam. Take your usual morning medications (particularly blood pressure medications other than diuretics) with sips of water.

Please note:

- If you are diabetic hold your oral diabetic medication on the morning of the procedure. Check your blood sugar and if >150 then take ½ your regular insulin dose on AM of procedure.
- Arrange for someone to drive you home (not Uber, Lyft, taxi or bus) and be prepared to be at the endoscopy center for 60 minutes. Enter via the side entrance on Morse. You will not be able to drive for the remainder of the day of your procedure.
- Please notify us at least one week prior to the exam if you must cancel. NOTE: There is a \$300 charge for procedures cancelled within 5 business days of scheduled date.
- The above procedure will result in bills from our office (Digestive Care Associates) and facility (Digestive Care Medical Center) covering costs of the doctor, nursing, medication, and any pathology specimens. We will collect up to \$300 deposit if yearly deductible has not been met.